

## 森岡隆人英文業績

2022年7月14日現在

### 2022年

263. Matsubara Y, Murakami N, Kurogi A, Lee S, Mukae N, Shimogawa T, Shono T, Suzuki SO, Yoshimoto K, Morioka T: Intramedullary abscess at thoracolumbar region transmitted from infected dermal sinus and dermoid through retained medullary cord. *Surg Neurol Int* 13: 54, 2022
264. Goto K, Shimogawa T, Mukae N, Shono T, Fujiki F, Tanaka A, Sakata A, Shigeto H, Yoshimoto K, Morioka T: Implications and limitations of magnetic resonance perfusion imaging with 1.5-Tesla pulsed arterial spin labeling in detecting ictal hyperperfusion during non-convulsive status epilepticus. *Surg Neurol Int* 13: 147, 2022
265. Yonamoto A, Mukae N, Shimogawa T, Uehara T, Shigeto H, Sakata A, Mizoguchi M, Yoshimoto K, Morioka T: Good seizure outcome after focal resection surgery for super-refractory status epilepticus; Report of two cases. *Surg Neurol Int* 13: 164, 2022
266. Murakami N, Kanata A, Kurogi A, Mukae N, Shimogawa T, Nakanami N, Ichiyama M, Morioka T: Myelomeningocele in one neonate from a fraternal triplet birth: Two case reports on neurosurgical and multidisciplinary treatment during the perinatal period. *Interdiscip Neurosurg* 27: 101372, 2022
267. Kurogi A, Murakami N, Mukae N, Shimogawa T, Goto K, Shono T, Suzuki SO, Yoshimoto K, Morioka T: Congenital dermal sinus and filar lipoma located in close proximity at the dural cul-de-sac mimicking limited dorsal myeloschisis. *Interdiscip Neurosurg* 28: 101455, 2022
268. Morioka T, Murakami N, Kurogi A, Mukae N, Shimogawa T, Shono T, Suzuki SO, Yoshimoto K: Embryopathological relationship between retained medullary cord and caudal spinal lipoma. *Interdiscip Neurosurg* 29: 1015334, 2022
269. Tashiro K, Haga S, Tanaka S, Tokunaga S, Inoue D, Shimogawa T, Mukae N, Shono T, Yoshimoto K, Morioka T: Sulcal hyperintensity on magnetic resonance imaging with fluid-attenuated inversion recovery sequence in patients with chronic subdural hematoma. *Interdiscip Neurosurg* 29: 101571, 2022
270. Kurogi A, Murakami N, Mukae N, Shimogawa T, Shono T, Suzuki SO, Morioka T: Retained medullary cord associated with terminal myelocystocele and intramedullary arachnoid cyst. *Pediatr Neurosurg* 57(3): 184-190, 2022

271. Sakata A, Mukae N, Morioka T, Tanaka S, Shimogawa T, Shigeto H, Hotta T, Kang D, Mizoguchi M: Simultaneous electroencephalographic and electocorticographic recordings of lateralized periodic discharges in temporal lobe epilepsy. *Clin EEG Neurosci* 53(1): 61–69, 2022

272. Mukae N, Shimogawa T, Sakata A, Uehara T, Shigeto H, Yoshimoto K, Morioka T: Reflection of the ictal electocorticographic discharges confined to the medial temporal lobe to the scalp-recorded electroencephalogram. *Clin EEG Neurosci* (Epub ahead of print)

273. Watanabe E, Mukae N, Sakata A, Shimogawa T, Shigeto H, Hotta T, Kang D, Yoshimoto K, Morioka T: High frequency oscillation analysis of intracranial 14 and 6 Hz-positive spikes and interictal epileptiform discharges in a patient with occipital lobe epilepsy. *Epilepsy & Seizure* 14(1): 10–16, 2022

## 2021 年

253. Mukae N, Morioka T, Torio M, Sakai Y, Shimogawa T, Sakata A, Suzuki SO, Mizoguchi M: Periodic discharges with high frequency oscillations recorded from a cerebellar gangliocytoma in an epileptic infant. *Surg Neurol Int* 12: 98, 2021

254. Kurogi A, Murakami N, Morioka T, Mukae N, Shimogawa T, Kudo K, Suzuki SO, Mizoguchi M: Two cases of retained medullary cord running parallel to a terminal lipoma. *Surg Neurol Int* 12: 112, 2021

255. Shimogawa T, Mukae N, Morioka T, Sakata A, Sakai Y, Matsumoto N, Mizoguchi M: Corpus callosotomy for drug-resistant epilepsy in a pediatric patient with Waardenburg syndrome type I. *Surg Neurol Int* 12:217, 2021

256. Morioka T, Murakami N, Suzuki SO, Mukae N, Shimogawa T, Kurogi A, Shono T, Mizoguchi M: Surgical histopathology of a filar anomaly as an additional tethering element associated with closed spinal dysraphism of primary neurulation failure. *Surg Neurol Int* 12: 373, 2021

257. Mukae N, Kuga D, Murakami D, Komune N, Miyamoto Y, Shimogawa T, Sakata A, Shigeto H, Iwaki T, Morioka T, Mizoguchi M: Endonasal endoscopic surgery for temporal lobe epilepsy associated with sphenoidal encephalocele. *Surg Neurol Int* 12: 379, 2021

258. Shimogawa T, Mukae N, Kanata A, Tsukamoto H, Murakami N, Kurogi A, Shono T, Suzuki SO, Morioka T: Spinal cord deformity with aggravation of tethering in saccular limited dorsal myeloschisis during the first 2 months of life. *Surg Neurol Int* 12: 476, 2021

259. Murakami N, Kurogi A, Kawakami Y, Noguchi Y, Hayashida M, Suzuki S0, Mukae N, Shimogawa T, Yoshimoto K, Morioka T: Refractory CSF leakage following untethering surgery performed 10 months after birth for enlarging terminal myelocystocele associated with OEIS complex. *Surg Neurol Int* 12: 628, 2021

260. Morioka T, Murakami N, Suzuki S0, Nakamura R, Mizoguchi M: Subpial lipoma associated with retained medullary cord. *NMC Case Rep J* 8(1): 51–55, 2021

261. Kurogi A, Morioka T, Murakami N, Shimogawa T, Mukae N, Matsuo Y, Imamoto N, Tateishi Y, Suzuki S0: Saccular limited dorsal myeloschisis with spinal cord deviation out of the spinal canal to the sac. *NMC Case Rep J* 8: 739–746, 2021

262. Shimogawa T, Mukae N, Morioka T, Sakata A, Uehara T, Mizoguchi M: Possible relationship between vagus nerve stimulation and ictal discharges revealed by long-term electroencephalographic and electrocorticographic monitoring in a non-responsive patient. *Interdiscip Neurosurg* 24: 101066, 2021

## 2020 年

240. Morioka T, Murakami N, Kanata A, Tsukamoto E, Suzuki OS: Retained medullary cord with sacral subcutaneous meningocele and congenital dermal sinus. *Childs Nerv Syst* 36(2): 423–427, 2020

241. Morioka T, Murakami N, Yanagida H, Yamaguchi T, Noguchi Y, Takahata Y, Tsukamoto A, Suzuki S0: Terminal syringomyelia associated with lumbar limited dorsal myeloschisis. *Childs Nerv Syst* 36(4): 819–826, 2020

242. Kurogi A, Morioka T, Murakami N, Nakanami N, Suzuki S0: Ruptured dermoid cyst at the conus medullaris in the myelomenigocele sac revealed at the initial repair surgery. *Childs Nerv Syst* 36(5): 1061–1065, 2020

243. Murakami N, Morioka T, Suzuki S0, Takahata Y, Mizoguchi M: Congenital interdural arachnoid cyst of the tentorium cerebelli. *Childs Nerv Syst* 36(5): 1071–1074, 2020

244. Morioka T, Murakami N, Suzuki S0, Takada A, Tajiri S, Shimogawa T, Mukae N, Iihara K: Neurosurgical pathology and management of limited dorsal myeloschisis with congenital dermal sinus in infancy. *Pediatr Neurosurg* 55: 113–125, 2020

245. Morioka T, Murakami N, Ichiyama M, Kusuda T, Suzuki S0: Congenital dermal sinus elements in each tethering stalk of coexisting thoracic limited dorsal myeloschisis and retained medullary cord. *Pediatr Neurosurg* 55(6): 380–387, 2020

246. Maehara N, Morioka T, Shimogawa T, Suzuki S0, Mizoguchi M, Haga S: Massive

ossification with hematopoietic marrow on both surfaces of the expanded polytetrafluoroethylene artificial dura mater. World Neurosug 139: 405–409, 2020

247. Mukae N, Morioka T, Suzuki SO, Murakami N, Shimogawa T, Kanata A, Tsukamoto H, Mizoguchi M: Two cases of large filar cyst associated with terminal lipoma: Relationship with retained medullary cord. World Neurosug 142: 294–298, 2020

248. Shirozu N, Morioka T, Tokunaga S, Shimogawa T, Inoue D, Arihiro S, Sakata A, Mukae N, Haga S, Iihara K: Comparison of pseudocontinuous arterial spin labeling perfusion MR images and time-of-flight MR angiography in the detection of periictal hyperperfusion. eNeurologicalSci 19: 100233, 2020

249. Tokunaga S, Morioka T, Shirozu N, Tsurusaki Y, Arihiro S, Shimogawa T, Mizoguchi M, Haga S: Arterial spin-labeling perfusion MR images with dual postlabeling delay reveals hemodynamic changes in dural arteriovenous fistulas following endovascular surgery. Interdiscip Neurosurg 21: 100733, 2020

250. Murakami N, Morioka T, Suzuki SO, Mukae N, Shimogawa T, Matsuo Y, Sasaguri T, Mizoguchi M: Clinicopathological findings of limited dorsal myeloschisis associated with spinal lipoma of dorsal-type. Interdiscip Neurosurg 21: 100781, 2020

251. Abe K, Mukae N, Morioka T, Shimogawa T, Suzuki SO, Mizoguchi M: Tail-like cutaneous appendage at the upper thoracic region with a continuous stalk of limited dorsal myeloschisis. Interdiscip Neurosurg 22: 100823, 2020

252. Abe K, Mukae N, Morioka T, Sangatsuda Y, Sakata A, Suzuki SO, Mizoguchi M: Non-convulsive status epilepticus associated with Alzheimer's disease mimicking symptomatic focal epilepsy following resection of frontal parasagittal meningioma. Surg Neurol Int 11: 469, 2020

## 2019 年

231. Morioka T, Suzuki SO, Murakami N, Mukae N, Shimogawa T, Haruyama H, Kira R, Iihara K: Surgical histopathology of limited dorsal myeloschisis with flat skin lesion. Childs Nerv Syst 35(1): 119–128, 2019

232. Tsuchimochi K, Morioka T, Murakami N, Yamashita F, Kawamura N: Huge multiple spinal extradural meningeal cysts in infancy. Childs Nerv Syst 35(3): 535–540, 2019

233. Sarukawa M, Morioka T, Murakami N, Shimogawa T, Mukae N, Kuga N, Suzuki SO, Iihara K: Human tail-like cutaneous appendage with a contiguous stalk of limited dorsal myeloschisis. Childs Nerv Syst 35(6): 973–978, 2019

[published erratum appears in Childs Nerv Syst 35(6): 1091, 2019]

234. Tomita Y, Morioka T, Murakami N, Noguchi Y, Sato Y, Suzuki OS: Slender stalk with combined features of saccular limited dorsal myeloschisis and congenital dermal sinus in a neonate. Pediatr Neurosurg 54(2): 125–131, 2019

235. Haga S, Morioka T, Kameda K, Takahara K, Amano T, Tomohara S, Takaki H, Tsurusaki Y, Arihiro S: Subtraction of arterial spin-labeling magnetic resonance perfusion images acquired at dual post-labeling delay: Potential for evaluating cerebral hyperperfusion syndrome following carotid endarterectomy. J Clin Neurosci 63: 77–83, 2019

236. Kanazawa Y, Arakawa S, Shimogawa T, Hagiwara N, Haga S, Morioka T, Ooboshi H, Ago T, Kitazono T: Arterial spin labeling magnetic resonance imaging for differentiating acute ischemic stroke from epileptic disorders. J Stroke Cerebrovasc Dis 28(6): 1684–1690, 2019

237. Miki K, Morioka T, Sakata A, Noguchi N, Mori M, Yamada T, Kai Y, Natori Y: Initial experience of telemetry EEG amplifier (Headset<sup>TM</sup>) in the emergent diagnosis of nonconvulsive status epilepticus. Interdiscip Neurosurg 18: 1000486, 2019

238. Mukae N, Morioka T, Torio M, Sakata A, Suzuki SO, Iihara K: Continuous ictal discharges with high frequency oscillations confined to the non-sclerotic hippocampus in an epileptic patient with radiation induced cavernoma in the lateral temporal lobe. Epilepsy Behav Case Rep 11: 87–91, 2019

239. Lee S, Morioka T, Chong PF, Suzuki SO, Imagi T, Murakami N, Baba H, Kira R: Subcortical axonal loss with glial reactions following partial status epilepticus with neuroradiological findings of reduced subcortical diffusion. Neurol Sci 40(4): 851–855, 2019

## 2018 年

222. Ryorin M, Morioka T, Murakami N, Suzuki SO, Kawamura N: Dynamic morphological changes of thrombosed lateral sinus pericranii revealed by serial MR images. Childs Nerv Syst 34(1): 143–148, 2018

223. Morioka T, Suzuki SO, Murakami N, Shimogawa T, Mukae N, Inoha S, Sasaguri T, Iihara K: Neurosurgical pathology of limited dorsal myeloschisis. Childs Nerv Syst 34(2): 293–303, 2018

224. Murakami N, Morioka T, Shimogawa T, Hashiguchi K, Mukae N, Uchihashi K, Suzuki SO, Iihara K: Retained medullary cord extending to a sacral subcutaneous meningocele. Childs Nerv Syst 34(3): 527–533, 2018

225. Shirozu N, Morioka T, Inoha S, Imamoto N, Sasaguri T: Enlargement of sacral subcutaneous meningocele associated with retained medullary cord. *Childs Nerv Syst* 34(9): 1785–1790, 2018

226. Hiraoka A, Morioka T, Murakami N, Suzuki SO, Mizoguchi M: Limited dorsal myeloschisis with no extradural stalk linking to a flat skin lesion: A case report. *Childs Nerv Syst* 34(12): 2497–2501, 2018

227. Shimogawa T, Morioka T, Murakami N, Mukae N, Hashiguchi K, Suzuki SO, Iihara K: Bony and cartilaginous tissues in lumbosacral lipomas. *Pediatr Neurosurg* 53(5): 305–310, 2018

228. Murakami N, Morioka T, Shimogawa T, Mukae N, Inoha S, Sasaguri T, Suzuki SO, Iihara K: Ependyma-lined canal with surrounding neuroglial tissues in lumbosacral lipomatous malformations: Relationship with retained medullary cord. *Pediatr Neurosurg* 53(6): 387–394, 2018

229. Takahara K, Morioka T, Shimogawa T, Haga S, Kameda K, Arihiro S, Sakata A, Mukae N, Iihara K: Hemodynamic state of periictal hyperperfusion revealed by arterial spin-labeling perfusion MR images with dual postlabeling delay. *eNeurologicalSci* 12: 5–18, 2018

230. Maehara N, Morioka T, Amano T, Suzuki SO, Yamamoto M, Haga S: Intractable epilepsy associated with angiographic obliteration of a medial temporal arteriovenous malformation following stereotactic radiosurgery. *Interdiscip Neurosurg* 14: 121–125, 2018

## 2017 年

211. Shimogawa T, Morioka T, Sayama T, Haga S, Kanazawa Y, Murao K, Arakawa S, Sakata A, Iihara K: The initial use of arterial spin labeling perfusion and diffusion-weighted magnetic resonance images in the diagnosis of nonconvulsive partial status epilepticus. *Epilepsy Res* 129: 162–173, 2017

212. Murakami N, Morioka T, Kawamura N, Suzuki SO, Kira R: Venous anomaly analogous to vertical embryonic positioning of the straight sinus associated with atretic cephalocele at the suboccipital region. *Childs Nerv Syst* 33(1): 179–182, 2017

213. Murakami N, Morioka T, Suzuki SO, Mukae N, Hashiguchi K, Iihara K: Tadpole-shaped lateralized parietal atretic cephalocele associated with an ipsilateral lacrimal gland fistula and schizencephalic clefts. *Childs Nerv Syst* 33(2): 363–367, 2017

214. Murakami N, Morioka T, Ichiyama M, Nakamura R, Kawamura N: Lateral lipomyelomeningocele of the hemicord with split cord malformation type I revealed by 3D heavily T2-weighted imaging. *Childs Nerv Syst* 33(6): 993–997, 2017
215. Shimogawa T, Morioka T, Sayama T, Akiyama T, Haga S, Amano T, Furuta Y, Murao K, Arakawa S, Takeshita I: Impact of low coagulation factor XIII activity in patients with chronic subdural hematoma associated with cerebrospinal fluid hypovolemia: A retrospective study. *Surg Neurol Int* 8: 192, 2017 doi: 10.4103/sni.sni\_82\_17
216. Shimogawa T, Morioka T, Akiyama T, Haga S, Arakawa S, Sayama T: Sequential changes of arterial spin-labeling perfusion MR images with dual postlabeling delay following reconstructive surgery for giant internal carotid artery aneurysm. *Surg Neurol Int* 8:222, 2017 doi: 10.4103/sni.sni\_73\_17
217. Serita Y, Morioka T, Murakami N, Kawamura N, Takahata S, Kira R: Intraventricular hemorrhage possibly extending from an infratentorial subdural hematoma via a perforated suprapineal recessus in a full-term neonate. *Surg Neurol Int* 8: 266, 2017 doi: 10.4103/sni.sni\_139\_17
218. Murao K, Morioka T, Shimogawa T, Furuta Y, Haga S, Sakata A, Arihiro S, Arakawa S: Various pathophysiological states of acute symptomatic seizures immediately after ischemic stroke, namely “onset seizures”, shown by complementary use of peri-ictal magnetic resonance imaging and electroencephalography. *Neurol Clin Neurosci* 5(6): 169–177, 2017 doi: 10.1111/ncn3.12160
219. Maeda K, Furuno K, Chong PF, Morioka T: Nasopharyngeal glial heterotopia associated with delayed postoperative meningitis. *BMJ Case Rep* 2017. doi:10.1136/bcr-2017-220206
220. Takahara K, Morioka T, Shimogawa T, Amano T, Kawakita A, Watanabe K, Haga S: Perfusion image with arterial spin labeling in acute encephalopathy with reduced subcortical diffusion following secondary generalized status epileptics. *Epilepsy & Seizure* 9(1): 32–39, 2017
221. Morioka T, Murakami N, Shimogawa T, Mukae N, Hashiguchi K, Suzuki S0, Iihara K: Neurosurgical management and pathology of the lumbosacral lipomas with tethered cord. *Neuropathology* 37(5): 385–392, 2017

## 2016 年

202. Haga S, Morioka T, Shimogawa T, Akiyama T, Murao K, Kanazawa Y, Sayama T, Arakawa S: Arterial spin labeling perfusion magnetic resonance image with dual

postlabeling delay: A correlative study with acetazolamide loading  $^{123}\text{I}$ -Iodoamphetamine single-photon emission computed tomography. J Stroke Cerebrovasc Dis 25(1): 1-6, 2016

203. Wakisaka K, Morioka T, Shimogawa T, Murao K, Kanazawa Y, Hagiwara N, Arakawa S: Epileptic ictal hyperperfusion on arterial spin labeling perfusion and diffusion-weighted magnetic resonance images in posterior reversible encephalopathy syndrome. J Stroke Cerebrovasc Dis 25(1): 228-237, 2016

204. Akiyama T, Morioka T, Shimogawa T, Haga S, Sayama T, Kanazawa Y, Murao K, Arakawa S: Arterial spin-labeling magnetic resonance imaging with dual post-labeling delay in internal carotid artery steno-occlusion: validation with digital subtraction angiography. J Stroke Cerebrovasc Dis 25(9): 2099-2108, 2016

205. Chatani H, Hagiwara K, Hironaga N, Ogata K, Shigeto H, Morioka T, Sakata A, Hashiguchi K, Murakami N, Uehara T, Kira J, Tobimatsu S: Neuromagnetic evidence for hippocampal modulation of auditory processing. Neuroimage 124(1) : 256-266, 2016

206. Hashiguchi K, Morioka T, Murakami N, Togao O, Hiwatashi A, Ochiai M, Eriguchi G, Kishimoto J, Iihara K: Sequential morphological change of Chiari malformation type II following surgical repair of myelomenigocele. Childs Nerv Syst 32(6): 1069-1078, 2016

207. Amano T, Takahara K, Maehara N, Shimogawa T, Mukae N, Sayama T, Arihiro S, Arakawa S, Morioka T, Haga S: Optimal perioperative management of antithrombotic agents in patients with chronic subdural hematoma. Clin Neurol Neurosurg 151: 43-50, 2016

208. Yasuda C, Arakawa S, Shimogawa T, Kanazawa Y, Sayama T, Haga S, Morioka T: Clinical significance of the champagne bottle neck sign in the extracranial carotid arteries of patients with Moyamoya disease. AJNR Amr J Neuroradiol 37(10): 1898-1902, 2016

209. Shimogawa T, Morioka T, Sayama T, Haga S, Akiyama T, Murao K, Kanazawa Y, Furuta Y, Sakata A, Arakawa S: Signal changes on magnetic resonance perfusion images with arterial spin labeling after carotid endarterectomy. Surg Neurol Int 7: S1031-1040, 2016 doi: 10.4103/2152-7806.196322

210. Shimogawa T, Morioka T, Onozawa H, Suzuki SO, Kira R: Nasal dermal sinus associated with a dumbbell-shaped dermoid: A case report. J Neurol Surg Rep 77(2): e94-97, 2016

2015 年

200. Kanazawa Y, Morioka T, Arakawa S, Furuta Y, Nakanishi A, Kitazono T: Nonconvulsive partial status epilepticus mimicking recurrent infarction revealed by diffusion-weighted and arterial spin labeling perfusion magnetic resonance images. *J Stroke Cerebrovasc Dis* 24(4): 731-738, 2015

201. Hashiguchi K, Morioka T, Murakami N, Togao O, Hiwatashi A, Ochiai M, Morokuma S, Iihara K: Clinical significance of prenatal and postnatal heavily T2-weighted magnetic resonance images in patients with myelomeningocele. *Pediatr Neurosurg* 50(6): 310-320, 2015

## 2014 年

198. Mukae N, Suzuki S0, Morioka T, Murakami N, Hashiguchi K, Shigeto H, Sakata A, Iihara K: ILAE focal cortical dysplasia type IIIc in the ictal onset zone in epileptic patients with solitary meningoangioma. *Epileptic Disord* 16(4): 533-539, 2014

199. Shimogawa T, Morioka T, Sayama T, Hamamura T, Yasuda C, Arakawa S: Champagne bottle neck sign in a patient with Moyamoya syndrome. *World J Clin Cases* 2(9): 474-477, 2014

## 2013 年

194. Morioka T, Sayama T, Shimogawa T, Mukae N, Hamamura T, Arakawa S, Sakata A, Sasaki T: Electroencephalographic evaluation of cerebral hyperperfusion syndrome following superficial temporal artery - middle cerebral artery anastomosis. *Neurol Med Chir (Tokyo)* 53(6): 388-395, 2013

195. Murakami N, Morioka T, Hashiguchi K, Yoshiura T, Hiwatashi A, Suzuki S0, Nakamizo A, Amano T, Hata N, Sasaki T: Usefulness of three-dimensional T1-weighted spoiled gradient-recalled echo and three-dimensional heavily T2-weighted images in preoperative evaluation of spinal dysraphism. *Childs Nerv Syst* 29(10): 1905-1914, 2013

196. Kanamori Y, Shigeto H, Hironaga N, Hagiwara K, Uehara T, Chatani H, Sakata A, Hashiguchi K, Morioka T, Tobimatsu S, Kira J: Minimum norm estimates in MEG can delineate the onset of interictal epileptic discharges: A comparison with ECoG findings. *Neuroimage: Clinical* 2: 663-669, 2013

197. Mukae N, Morioka T, Sayama T, Hamamura T, Makihara K, Shigeto H, Sasaki T: Traumatic medial temporal lobe epilepsy associated with a subcortical lesion in the internal capsule - A case report. *Epilepsy & Seizure* 6(1): 1-9, 2013

## 2012 年

193. Murakami N, Morioka T, Hashiguchi K, Suzuki S0, Amano T, Sakata A, Sasaki T: Focal cortical dysplasia type IIa underlying epileptogenesis in patients with

epilepsy associated with Sturge-Weber syndrome. *Epilepsia* 53(11): e184-e188, 2012 doi: 10.1111/j.1528-1167.2012.03628.x

## 2011年

188. Morioka T, Sayama T, Mukae N, Hamamura T, Yamamoto K, Kido T, Sakata A, Sasaki T: Nonconvulsive status epilepticus during perioperative period of cerebrovascular surgery. *Neurol Med Chir (Tokyo)* 51(3): 171-179, 2011
189. Hashiguchi K, Morioka T, Yoshida F, Yoshimoto K, Shono T, Natori Y, Nagata S, Sasaki T: Feasibility of intraoperative motor-evoked potential monitoring for skull base tumors with a high risk of postoperative motor deterioration. *Acta Neurochir* 153(6): 1191-1200, 2011
190. Shigeto H, Sakata A, Morioka T, Takase K, Hagiwara K, Kamada T, Kanamori Y, Hashiguchi K, Tobimatsu S, Yamashita N, Kira J: Peri-orbital electrodes as a supplemental recording for detection of ictal discharges in medial temporal lobe epilepsy. *Neurology Asia* 16(4): 303-307, 2011
191. Masui K, Suzuki SO, Hashiguchi K, Morioka T, Yoshiura T, Sasaki T, Iwaki T: Focal cortical dysplasia coexisting with diffuse astrocytoma in childhood: A case report and reappraisal of the glial component in archival FCD cases. *Neuropathology* 31(4): 433-439, 2011
192. Kanata A, Morioka T, Tsukamoto H, Katsuta T, Suzuki OS: A case of dysembryoplastic neuroepithelial tumor (DNT) who underwent epilepsy surgery after the initial seizure. *Pediatr Neurosurg* 47(6): 436-441, 2011

## 2010年

183. Hashiguchi K, Morioka T, Murakami N, Suzuki SO, Hiwatashi A, Yoshiura T, Sasaki T: Utility of 3-T FLAIR and 3D short tau inversion recovery MR imaging in the preoperative diagnosis of hippocampal sclerosis: direct comparison with 1.5-T FLAIR MR imaging. *Epilepsia* 51(9): 1820-1828, 2010
184. Fukui K, Morioka T, Hashiguchi K, Kawamura T, Irita K, Hoka S, Sasaki T, Takahashi S: Relationship between regional cerebral blood flow and electrocorticographic activities under sevoflurane and isoflurane anesthesia. *J Clin Neurophysiol* 27(2): 110-115, 2010
185. Morioka T, Mukae N, Sayama T, Hamamura T, Nomoto A, Yamamoto K, Kido T, Yamaguchi T, Suzuki SO, Sasaki T: Medial temporal lobe epilepsy associated with cortical dysplasia extending from the medial temporal lobe to the fornix - a case report. *Epilepsy & Seizure* 3(1): 10-18, 2010
186. Morioka T, Hashiguchi K, Mukae N, Sayama T, Sasaki T: Neurosurgical

management of the patients with lumbosacral myeloschisis. Neurol Med Chir (Tokyo) 50(9): 870–876, 2010

187. Hamamura T, Morioka T, Sayama T, Mukae N, Arakawa S, Maeda H, Sasaki T: Cerebral hyperperfusion syndrome associated with non-convulsive status epilepticus following superficial temporal artery–middle cerebral artery anastomosis - a case report. Neurol Med Chir (Tokyo) 50(12): 1099–1104, 2010

## 2009 年

175. Samura K, Morioka T, Hashiguchi K, Yoshida F, Miyagi Y, Yoshiura T, Suzuki S0, Sasaki T: Coexistence of a human tail and congenital dermal sinus associated with lumbosacral lipoma. Childs Nerv Syst 25(1): 137–141, 2009

176. Morioka T, Hashiguchi K, Samura K, Yoshida F, Miyagi Y, Yoshiura T, Suzuki S0, Sasaki T: Detailed anatomy of intracranial venous anomalies associated with arachnoid cysts revealed by high-resolution 3D-CISS and high-field T2-weighted reversed MR images. Childs Nerv Syst 25(3): 309–315, 2009

177. Matsuda H, Matsuda K, Nakamura F, Kameyama S, Masuda H, Otsuki T, Nakama H, Shamoto H, Nakazato N, Mizobuchi M, Nakagawara J, Morioka T, Kuwabara Y, Aiba H, Yano M, Kim YJ, Nakase H, Kuji I, Hirata Y, Mizumura S, Imabayashi E, Sato N: Contribution of subtractional ictal SPECT coregistered to MRI to epilepsy surgery: A multicenter study. Ann Nucl Med 23(3): 283–291, 2009

178. Samura K, Morioka T, Hashiguchi K, Miyagi Y, Shigeto H, Sakata A, Tanaka S, Satohi O Suzuki, Sasaki T: Temporal lobe epilepsy associated with ‘triple pathology’ of hippocampal sclerosis, focal cortical dysplasia and cavernoma in the ipsilateral frontal lobe. Epilepsy & Seizure 2(1): 34–41, 2009

179. Tokunaga S, Morioka T, Hashiguchi K, Samura K, Yoshida F, Miyagi Y, Yoshiura T, Yamanouchi T, Sasaki T: Double lumbosacral lipomas of the dorsal and filar types associated with OEIS complex. Neurol Med Chir (Tokyo) 49(10): 487–490, 2009

180. Murata M, Morokuma S, Tsukimori K, Hojo S, Morioka T, Hashiguchi K, Sasaki T, Wake N: Rapid growing cystic variant of choroids plexus papilloma in a fetal cerebral hemisphere. Ultrasound Obst Gyn 33(1): 116–120, 2009

181. Yoshida F, Miyagi Y, Kishimoto J, Morioka T, Murakami N, Hashiguchi K, Samura K, Sakae N, Yamasaki R, Kawaguchi M, Sasaki T: Subthalamic nucleus stimulation does not cause deterioration of preexisting hallucinations in Parkinson’s disease patients. Stereotact Funct Neurosurg 87(1): 45–49, 2009

182. Miyagi Y, Okamoto T, Morioka T, Tobimatsu S, Nakanishi Y, Aihara K, Hashiguchi K, Murakami N, Yoshida F, Samura K, Nagata S, Sasaki T: Spectral analysis of field potential recordings by deep brain stimulation electrode for localization of subthalamic nucleus in patients with Parkinson' s disease. *Stereotact Funct Neurosurg* 87(4): 211-218, 2009

## 2008 年

163. Yoshida F, Morioka T, Hashiguchi K, Miyagi Y, Nagata S, Yamaguchi Y, Oofu M, Sasaki T: Appearance of focal cortical dysplasia on serial MRI after maturation of myelination. *Childs Nerv Syst* 24: 269-273, 2008

164. Samura K, Morioka T, Hashiguchi K, Yoshida F, Hokama M, Yamaguchi S, Nagata S, Suzuki SO, Yoshiura T, Sasaki T: Bursal cyst (bursitis) of the coccygeal region clinically mimicks sacrococcygeal meningocele. *Childs Nerv Syst* 24: 533-535, 2008

165. Samura K, Morioka T, Yoshida F, Hashiguchi K, Miyagi Y, Nagata S, Suzuki SO, Sasaki T: Focal cortical dysplasia with calcification: Case report. *Childs Nerv Syst* 24: 619-622, 2008

166. Morioka T, Hashiguchi K, Yoshida F, Matsumoto K, Miyagi Y, Nagata S, Yoshiura T, Matsumoto K, Taguchi T, Sasaki T: Neurosurgical management of occult spinal dysraphism associated with OEIS complex. *Child' s Nerv Syst* 24: 723-729, 2008

167. Yoshida F, Miyagi Y, Morioka T, Hashiguchi K, Murakami N, Matsumoto K, Nagata S, Sasaki T: Assessment of contact location in subthalamic stimulation for Parkinson' s disease by co-registration of computed tomography images. *Stereotact Funct Neurosurg* 86: 162-166, 2008

168. Hashiguchi K, Morioka T, Samura K, Miyagi Y, Yoshida F, Nagata S, Sasaki T: Medial temporal lobe epilepsy associated with misplacement of ventricular shunting catheter in the temporal lobe - a case report. *J Clin Neurosci* 15: 939-942, 2008

169. Hashiguchi K, Morioka T, Samura K, Yoshida F, Miyagi Y, Nagata S, Kokubo T, Yoshiura T, Sasaki T: Holocord hydrosyringomyelia with terminal myelocystocele revealed by constructive interference in steady-state MR imaging. *Pediatr Neurosurg* 44: 509-512, 2008

170. Samura K, Miyagi Y, Morioka T, Murakami N, Yoshida F, Hashiguchi K, Sakae N, Yamasaki R, Kawaguchi M, Nagata S, Sasaki T: Intractable facial pain in advanced Parkinson' s disease alleviated by subthalamic nucleus stimulation. *J Neurol Neurosurg Psychiatr* 79: 1410-1411, 2008

171. Nishimura A, Morioka T, Hashiguchi K, Mizoguchi M, Nagata S, Suzuki OS, Sasaki T: Epileptogenicity of a patient with the association of medullary venous malformation and cavernous angioma. *Epilepsy & Seizure* 1: 14–20, 2008

172. Morokuma S, Tsukimori K, Anami A, Fukushima K, Morioka T, Wake N: Brain injury of the survivor diagnosed at 18 weeks of gestation after intra-uterine demise of the co-twin: a case report. *Fetal Diagn Ther* 23: 138–140, 2008

173. Hoshina T, Kusuhara K, Saito M, Mizoguchi M, Morioka T, Mizuno Y, Aoki T, Hara T: Infected subdural hematoma in an infant. *Jpn J Infect Dis* 61: 412–414, 2008

174. Ogata T, Kamouchi M, Kitazono T, Kuroda J, Ooboshi H, Shono T, Morioka T, Ibayashi S, Sasaki T, Iida M: Cerebral venous thrombosis associated with iron deficiency anemia. *J Stroke Cerebrovasc* 17:426–428, 2008

## 2007 年

153. Morioka T, Hashiguchi K, Nagata S, Miyagi Y, Yoshida F, Shono T, Mihara F, Koga H, Sasaki T: Additional hippocampectomy in the surgical management of intractable temporal lobe epilepsy associated with glioneuronal tumor. *Neurol Res* 29: 807–815, 2007

154. Hashiguchi K, Morioka T, Yoshida F, Kawamura T, Miyagi Y, Kuwabara Y, Sasaki, M, Koga H, Nagata S, Sasaki T: Thalamic hypometabolism on 18FDG-positron emission tomography in medial temporal lobe epilepsy. *Neurol Res* 29: 215–222, 2007

155. Miyagi Y, Morioka T, Yoshida F, Hashiguchi K, Inoue D, Mizoguchi M, Shono T, Nagata S, Sasaki T: Unusual MR presentation of occult spinal dysraphism with lumbosacral lipoma and dermoid cyst: A case report. *Childs Nerv Syst* 23: 109–112, 2007

156. Morioka T, Hashiguchi K, Yoshida F, Nagata S, Miyagi Y, Mihara F, Sasaki T: Dynamic morphological changes in lumbosacral lipoma during the first months of life revealed by constructive interference in steady-state (CISS) MR imaging. *Child's Nerv Syst* 23: 415–420, 2007

157. Hashiguchi K, Morioka T, Yoshida F, Miyagi Y, Nagata S, Sakata A, Sasaki T: Correlation between scalp-recorded electroencephalographic and electrocorticographic activities during ictal period. *Seizure* 16: 238–247, 2007

158. Hashiguchi K, Morioka T, Yoshida F, Miyagi Y, Mihara F, Yoshiura T, Nagata S, Sasaki T: Feasibility and limitation of constructive interference in steady-state (CISS) MR imaging in neonates with lumbosacral myeloschisis. *Neuroradiology* 49: 579–585, 2007

159. Yoshida F, Morioka T, Hashiguchi K, Miyagi Y, Nagata, S, Ohshio M, Sasaki T: Display of the epileptogenic zone on the frontal cortical surface using dynamic voltage topography of ictal electrocorticographic discharges. *Minim Invas Neurosurg* 50: 37-42, 2007
160. Ishibashi H, Morioka T, Katsuta T, Suzuki S, Okada Y: Somatosensory and spinal evoked potentials in patients with upper cervical neurinoma. *J Clin Neurophysiol* 24: 352-357, 2007
161. Shono T, Natori Y, Morioka T, Torisu R, Mizoguchi M, Nagata S, Suzuki SO, Iwaki T, Inamura T, Fukui M, Oka K, Sasaki T: Results of a long-term follow-up after neuroendoscopic biopsy procedure and third ventriculostomy in patients with intracranial germinomas. *J Neurosurg (3 Suppl Pediatrics)* 107: 193-198, 2007
162. Samura K, Morioka T, Miyagi Y, Nagata S, Mizoguchi M, Mihara F, Sasaki T: Surgical strategy for multiple huge spinal extradural meningeal cysts. Case report. *J Neurosurg (4 Suppl Pediatrics)* 107: 297-302, 2007

## 2006 年

144. Morioka T, Hashiguchi K, Nagata S, Miyagi Y, Yoshida F, Mihara F, Sakata A, Sasaki T: Epileptogenicity of supratentorial medullary venous malformation. *Epilepsia* 47: 365-370, 2006  
[published erratum appears in *Epilepsia* 47: 1087-1088, 2006]
145. Morioka T, Hashiguchi K, Nagata S, Miyagi Y, Mihara F, Hikino S, Tsukimori K, Sasaki T: Fetal germinal matrix and intraventricular hemorrhage. *Pediat Neurosurg* 42: 354-361, 2006
146. Nagata S, Morioka T, Matsukado K, Natori Y, Sasaki T: Retrospective analysis of the surgically treated temporal lobe arteriovenous malformation with focus on the visual field defects and epilepsy. *Surg Neurol* 66: 50-55, 2006
147. Nagata S, Morioka T, Natori Y, Matsukado K, Sasaki T, Yamada T: Factors that affect the surgical outcomes of the spinal dural arteriovenous fistulas. *Surg Neurol* 65: 563-568, 2006
148. Nagata S, Matsushima T, Morioka T, Matsukado K, Mihara F, Sasaki T, Fukui M: Unilaterally symptomatic moyamoya diseases in children. Long-term follow-up of 20 patients. *Neurosurgery* 59: 830-837, 2006
149. Yoshida F, Morioka T, Hashiguchi K, Kawamura T, Miyagi Y, Nagata S, Mihara F, Izumi H, Sasaki T: Epilepsy in patients with spina bifida at lumbosacral region.

Neurosurg Rev 29: 327–332, 2006

150. Kaneko K, Sasaki M, Morioka T, Koga H, Abe K, Sawamoto H, Ohya N, Yoshiura T, Mihara F, Honda H: Pre-surgical identification of epileptogenic areas in temporal lobe epilepsy by  $^{123}\text{I}$ -iomazenil SPECT: A comparison with IMP-SPECT and FDG-PET. Nucl Med Commun 27: 893–899, 2006

151. Nagata S, Morioka T, Natori Y, Sasaki T: Surgical treatment of non-ruptured giant occipital arteriovenous malformations with frequent migraine-like headache - Two case reports. Neurol Med Chir (Tokyo) 46: 441–445, 2006

152. Miyagi Y, Natori Y, Suzuki S, Iwaki T, Morioka T, Arimura K, Maeda Y, Shono T, Matukado K, Sasaki T: Purely cystic form of choroid plexus papilloma with acute hydrocephalus in an infant. A case report. J Neurosurg 105:480–4, 2006

## 2005 年

140. Hashiguchi K, Morioka T, Fukui K, Miyagi Y, Mihara F, Yoshiura T, Nagata S, Sasaki T: Usefulness of constructive interference in steady-state (CISS) MR imaging in the presurgical examination for lumbosacral lipoma. J Neurosurg (6 Pediatrics) 103: 537–543, 2005

141. Hashiguchi K, Morioka T, Yokoyama N, Mihara F, Sasaki T: Subgaleal dermoid tumors at the anterior fontanelle. Pediatr Neurosurg 41: 54–57, 2005

142. Mihara H, Yoshiura T, Noguchi T, Togao O, Morioka T, Sasaki T, Honda H: A method to reduce saline and heparin in intraoperative cerebral angiography: A preliminary report. Radiat Med 23: 588–589, 2005

143. Miyagi Y, Morioka T, Fukui K, Kawamura T, Hashiguchi K, Yoshida F, Shono T, Sasaki T: Spatio-temporal analysis by voltage topography of ictal electroencephalogram on MR surface anatomy scan for the localization of epileptogenic areas. Minim Invas Neurosurg 48; 97–100, 2005

## 2004 年

139. Togao O, Mihara F, Yoshiura T, Tanaka A, Kuwabara Y, Morioka T, Matsushima T, Sasaki T, Honda H: Prevalence of stenoocclusive lesions in the renal and abdominal arteries in Moyamoya disease. AJR Am J Radiol 183: 119–122, 2004

## 2003 年

138. Yamada H, Ishii K, Ishii Y, Ieiri I, Nishio S, Morioka T, Oguri K: Formation of highly analgesic morphine-6-glucuronide following physiologic concentration of morphine in human brain. J Toxicol Sci 28: 395–401, 2003

## 2002 年

125. Nishio S, Morioka T, Suzuki S, Fukui M: Tumours around the foramen of Monro: Clinical and neuroimaging features and their differential diagnosis. *J Clin Neurosci* 9: 137–141, 2002
126. Kawamura T, Morioka T, Nishio S, Fukui K, Yamasaki R, Matsuo M: Temporal lobe epilepsy associated with hippocampal sclerosis and contralateral middle fossa arachnoid cyst. *Seizure* 11: 60–62, 2002
127. Sakai Y, Nagano H, Sakata A, Kinoshita S, Hamasaki N, Shima F, Morioka T: Localization of epileptogenic zone in temporal lobe epilepsy by ictal scalp EEG. *Seizure* 11: 163–168, 2002
128. Morioka T, Nishio S, Ikezaki K, Inamura T, Kawamura T, Fukui K: Unilateral striatal damage following status epilepticus of ipsilateral frontal lobe origin. *Seizure* 11: 261–265, 2002
129. Nakagawa M, Kuwabara Y, Sasaki M, Koga H, Chen T, Kaneko K, Hayashi K, Morioka T, Masuda K: <sup>11</sup>C-methionine uptake in cerebrovascular disease: A comparison with <sup>18</sup>F-FDG-PET and <sup>99m</sup>Tc-HMPAO SPECT. *Ann Nucl Med* 16: 207–211, 2002
130. Kawamura T, Nishio S, Morioka T, Fukui K: Callosal anomalies in patients with spinal dysraphism: Correlation of clinical and neuroimaging features with hemispheric abnormalities. *Neurol Res* 24: 463–467, 2002
131. Ikezaki K, Nakamizo A, Amano T, Morioka T, Inamura T, Fujii K, Fukui M: Classification of medullary venous malformations in the temporal lobe: According to location and drainage pathway. *Neurol Res* 24: 505–509, 2002
132. Shigeto H, Morioka T, Hisada K, Nishio S, Ishibashi H, Kira J, Tobimatsu S, Kato M: Feasibility and limitations of magnetoencephalographic detection of epileptic discharges: Simultaneous recording of magnetic fields and electrocorticography. *Neurol Res* 24: 531–536, 2002
133. Kawamura T, Morioka T, Nishio S, Fukui K, Fukui M: Temporal lobe epilepsy and corpora amylacea in the hippocampus: Clinicopathologic correlation. *Neurol Res* 24: 563–569, 2002
134. Fukui K, Morioka T, Hisada K, Nishio S, Irita K, Takahashi S: Effects of thiamylal, sevoflurane and isoflurane on the cortically recorded somatosensory evoked potentials. *Eur J Anaesth* 19: 899–901, 2002
135. Inamura T, Morioka T, Nishio S, Ikezaki K, Nonaka H, Yoshiura T: Diverticular enlargement of the foraminae Luschka and congenital hydrocephalus. *Childs Nerv Syst* 18: 652–655, 2002

136. Morioka T, Fukui K, Kawamura T, Nishio S: Surgical management of intractable epilepsy associated with neuronal tumor. Expert Rev Neurotherapeutics 2: 815–818, 2002

137. Morioka T, Nishio S, Sasaki M, Yoshida T, Kuwabara Y, Nagamatsu T, Fukui M: Functional imaging in schizencephaly using FDG-PET and HMPAO-SPECT. Review Series Neurology 1: 14–15, 2002

## 2001 年

107. Ishibashi H, Morioka T, Nishio S, Shigeto H, Yamamoto T, Fukui M: Magnetoencephalographic investigation of somatosensory homunculus in patients with peri-Rolandic tumors. Neurol Res 23: 29–38, 2001

108. Hisada K, Morioka T, Nishio S, Yamamoto T, Fukui M: Two magnetoencephalographic epileptic foci did not coincide with the electrocorticographic ictal onset zone in a patient with temporal lobe epilepsy. Neurol Res 23: 830–834, 2001

109. Nishio S, Morioka T, Suzuki S, Kira R, Mihara F, Fukui M: Subependymal giant cell astrocytoma: Clinical and neuroimaging features of four cases. J Clin Neurosci 8: 31–34, 2001

110. Nishio S, Morioka T, Hamada Y, Kuromaru R, Fukui M: Hypothalamic hamartoma associated with an arachnoid cyst. J Clin Neurosci 8: 46–48, 2001

111. Nishio S, Morioka T, Takeshita I, Fukui M: Nerve cell tumours of the cerebrum: variable clinical and pathological manifestations. J Clin Neurosci 8: 225–230, 2001

112. Nishio S, Morioka T, Suzuki S, Takeshita I, Fukui M, Iwaki T: Pituitary tumours in adolescence: Clinical behavior and neuroimaging features of seven cases. J Clin Neurosci 8: 231–234, 2001

113. Nishio S, Morioka T, Fujiwara S, Fukui M: Prolactinoma with preferential infrasellar extension: A report of two cases. J Clin Neurosci 8: 287–289, 2001

114. Nishio S, Morioka T, Suzuki S, Hirano K, Fukui M: Secretory meningioma: Clinicopathologic features of eight cases. J Clin Neurosci 8: 335–339, 2001

115. Shono T, Inamura T, Morioka T, Matsumoto K, Suzuki SO, Ikezaki K, Iwaki T, Fukui M: Vascular endothelial growth factor in chronic subdural hematomas. J Clin Neurosci 8: 411–415, 2001

116. Nishio S, Morioka T, Hikino S, Fukui M: Cervical (myelo)meningocele: report of 2 cases. *J Clin Neurosci* 8: 586–587, 2001
117. Nishio S, Morioka T, Mihara F, Gondo K, Fukui M: Cerebral ganglioglioma with epilepsy: Neuroimaging features and treatment. *Neurosurg Rev* 24: 14–19, 2001
118. Kawamura T, Morioka T, Nishio S, Mihara F, Fukui M: Cerebral abnormalities in lumbosacral neural tube closure defect: MR imaging evaluation. *Childs Nerv Syst* 17: 405–410, 2001
119. Hisada K, Morioka T, Fukui K, Nishio S, Kuruma T, Irita K, Takahashi S, Fukui M: Effects of sevoflurane and isoflurane on electrocorticographic activities in patients with temporal lobe epilepsy. *J Neurosurg Anesth* 13: 333–337, 2001
120. Fukui K, Morioka T, Nishio S, Mihara F, Nakayama H, Tsukimori K, Fukui M: Fetal germinal matrix and intraventricular hemorrhage diagnosed by magnetic resonance imaging. *Neuroradiology* 43: 68–72, 2001
121. Nishio S, Morioka T, Kawamura T, Fukui K, Nonaka H, Matsushima M: Corpora amylacea replace the hippocampal pyramidal cell layer in a patient with temporal lobe epilepsy. *Epilepsia* 42: 960–962, 2001
122. Nishio S, Morioka T, Suzuki S, Fukui M: Spontaneous regression of a pituitary cyst: Report of two cases. *Clin Imag* 25: 15–17, 2001
123. Sayama T, Inamura T, Morioka T, Inoha S, Nakamizo A, Ikezaki K, Matsushima T, Sasaki M, Fukui M: Positron-emission tomography in stroke associated with antiphospholipid syndrome. *Radiography* 7: 209–213, 2001
124. Hata N, Inamura T, Imayama S, Morioka T, Nishio S, Miyazono M, Fukui M, Iwaki T: Multiple palisading granulomas in the scalp of an infant: A case report. *Surg Neurol* 56: 396–399, 2001
- 2000 年**
95. Morioka T, Nishio S, Shigeto H, Goto Y, Yamamoto T, Minami T, Gondo K, Fujii K, Fukui M: Surgical management of intractable epilepsy associated with cerebral neurocytoma. *Neurol Res* 22: 449–456, 2000
96. Nishio S, Morioka T, Hisada K, Fukui M: Temporal lobe epilepsy: a clinicopathological study with special reference to temporal neocortical changes. *Neurosurg Rev* 23: 84–89, 2000

97. Nishio S, Morioka T, Mihara F, Fukui M: Subependymoma of the lateral ventricles. *Neurosurg Rev* 23: 98–103, 2000
98. Morioka T, Nishio S, Hisada K, Shigeto H, Yamamoto T, Fujii K, Fukui M: Neuromagnetic assessment of epileptogenicity in cerebral arteriovenous malformation. *Neurosurg Rev* 23: 206–212, 2000
99. Hisada K, Morioka T, Nishio S, Muraishi M, Yamamoto T, Yoshida T, Fukui M: Magnetoencephalographic analysis of periodic lateralized epileptiform discharges (PLEDs). *Clin Neurophysiol* 111: 122–127, 2000
100. Ishibashi H, Tobimatsu S, Shigeto H, Morioka T, Yamamoto T, Fukui M: Differential interaction of somatosensory inputs in the human primary sensory cortex: A magnetoencephalographic study. *Clin Neurophysiol* 111: 1095–1102, 2000
101. Nishio S, Morioka T, Fujii K, Inamura T, Fukui M: Spinal cord gliomas: management and outcome with reference to adjuvant therapy. *J Clin Neurosci* 7: 20–23, 2000
102. Suzuki S, Nishio S, Takata K, Morioka T, Fukui M: Radiation-induced brain calcification: Paradoxical high signal intensity in T1-weighted MR images. *Acta Neurochir (Wien)* 142: 801–804, 2000
103. Fukui K, Morioka T, Hisada K, Nishio S, Irita K, Takahashi S, Fukui M: Ineffectiveness of propofol on intraoperative seizure activity in a patient with medial temporal lobe epilepsy. *J Clin Anesth* 12: 571–573, 2000  
[published erratum appears in *J Clin Anesth* 13: 159, 2001]
104. Nishio S, Inamura T, Morioka T, Ishihara S, Hirano K, Murakami N, Fukui M: Cerebellar neuroblastoma in an infant. *Clin Neurol Neurosurg* 102: 52–57, 2000
105. Kuba H, Matsukado K, Inamura T, Morioka T, Sasaki M, Fukui M: Pneumocephalus associated with aqueductal stenosis: three-dimensional computed tomographic demonstration of the skull-base defects. *Childs Nerv Syst* 16: 1–3, 2000
106. Maeda Y, Inamura T, Morioka T, Muratani H, Fukui M: Hemorrhagic subdural effusion complicating an endoscopic third ventriculostomy. *Childs Nerv Syst* 16: 312–314, 2000

## 1999 年

83. Morioka T, Nishio S, Ishibashi H, Muraishi M, Hisada K, Shigeto H, Yamamoto T, Fukui M: Intrinsic epileptogenicity of focal cortical dysplasia as revealed by magnetoencephalography and electrocorticography. *Epilepsy Res* 33: 177–187, 1999

84. Morioka T, Nishio S, Sasaki M, Yoshida T, Kuwabara Y, Ohta M, Fukui M: Functional imaging in periventricular nodular heterotopia with the use of FDG-PET and HMPAO-SPECT. *Neurosurg Rev* 22: 41-44, 1999
85. Morioka T, Nishio S, Sasaki M, Yoshida T, Kuwabara Y, Nagamatsu T, Fukui M: Functional imaging in schizencephaly using FDG-PET and HMPAO-SPECT. *Neurosurg Rev* 22: 99-101, 1999
86. Murakami N, Matsushima T, Kuba H, Ikezaki K, Morioka T, Mihara F, Inamura T, Fukui M: Combining steady-state constructive interference and diffusion-weighted magnetic resonance imaging in the surgical treatment of epidermoid tumors. *Neurosurg Rev* 22: 159-162, 1999
87. Miyazono M, Nishio S, Morioka T, Hamada Y, Fukui M, Yanai S: Fibroxanthoma arising from the cranial dura mater: A case report. *Neurosurg Rev* 22: 215-218, 1999
88. Nishio S, Morioka T, Hamada Y, Hisada K, Fukui M: Immunohistochemical expression of Trk receptor proteins in focal cortical dysplasia with intractable epilepsy. *Neuropathol Appl Neurobiol* 25: 188-195, 1999
89. Hisada K, Morioka T, Katsuta T, Nishio S, Muraishi M, Fukui M: Distribution of brainstem somatosensory evoked potentials following upper and lower limb stimulation. *Clin Neurophysiol* 110: 1458-1461, 1999
90. Muraishi M, Sayama T, Matsukado K, Inamura T, Ikezaki K, Morioka T, Fukui M: Effect of intracarotid bradykinin infusion on cerebral blood flow in dogs. *Neurol Res* 21: 791-795, 1999
91. Morioka T, Nishio S, Kimura Y, Kohno S, Kashimura S, Fukui M: Rupture of a giant middle cerebral aneurysm after blunt head injury. *J Clin Neurosci* 6: 175-177, 1999
92. Nishio S, Morioka T, Murakami N, Fukui M, Inamitsu T, Ishihara S: Melanotic neuroectodermal tumour of infancy at the anterior fontanelle. *Neuroradiology* 41: 202-204, 1999
93. Akata T, Morioka T, Noda Y, Kanna T, Setoguchi H, Takahashi S: Reduction of regional cerebral oxygen saturation coincidental with a perioperative focal motor seizure. *J Anesth* 13: 48-52, 1999
94. Nishio S, Morioka T, Mihara F, Fukui M: Neuroimaging and neuropathology in epilepsy: with special reference to focal epileptogenic abnormalities.

Neuropathology 19: 238–246, 1999

### 1998 年

68. Morioka T, Shigeto H, Ishibashi H, Nishio S, Yamamoto T, Yoshiura T, Fukui M: Magnetic source imaging of the sensory cortex on the surface anatomy MR scanning (SAS). *Neurol Res* 20: 235–241, 1998
69. Nishio S, Morioka T, Suzuki S, Hamada Y, Kaneko Y, Fukui M: Supratentorial primitive neuroectodermal tumours: A report of four cases with an unusual clinical course in one patient. *Acta Neurochir (Wien)* 140: 207–213, 1998
70. Nishio S, Morioka T, Inamura T, Takeshita I, Fukui M, Sasaki M, Nakamura K, Wakisaka S: Radiation-induced brain tumours: Potential late complications of radiation therapy for brain tumours. *Acta Neurochir (Wien)* 140: 763–770, 1998
71. Nishio S, Morioka T, Fukui M: Medulloblastoma in the first year of life: a report of five cases. *J Clin Neurosci* 5: 265–269, 1998
72. Nishio S, Morioka T, Hamada Y, Fukui M, Nakagawara A: Immunohistochemical expression of tyrosine kinase (Trk) receptor proteins in mature neuronal cell tumors of the central nervous system. *Clin Neuropathol* 17: 123–130, 1998
73. Mizoguchi M, Iwaki T, Morioka T, Fukui M, Tateishi J: Abnormal cytoarchitecture of cortical dysplasia verified by immunohistochemistry. *Clin Neuropathol* 17: 100–109, 1998
74. Ishibashi H, Morioka T, Shigeto H, Nishio S, Yamamoto T, Fukui M: Three-dimensional localization of subclinical ictal activity by magnetoencephalography: Correlation with invasive monitoring. *Surg Neurol* 50: 157–163, 1998
75. Ishibashi H, Morioka T, Shigeto H, Yamamoto T, Nishio S, Fukui M: Magnetoencephalographic evaluation of anterior corpus callosotomy for intractable epilepsy in a patient with Lennox–Gastaut syndrome. *J Epilepsy* 11: 202–207, 1998
76. Sasaki M, Kuwabara Y, Yoshida T, Fukumura T, Morioka T, Nishio S, Fukui M, Masuda K: Carbon-11-methionine PET in focal cortical dysplasia: A comparison with fluorine-18-FDG PET and technetium-99m-ECD SPECT. *J Nucl Med* 39: 974–977, 1998
77. Sasaki M, Kuwabara Y, Yoshida T, Nakagawa M, Fukumura T, Mihara F, Morioka T, Fukui M, Masuda K: A comparative study of thallium-201 SPECT, carbon-11 methionine PET and fluorine-18 fluorodeoxyglucose PET for the differentiation

of an astrocytic tumours. Eur J Nucl Med 25: 1261-1269, 1998

78. Kodama K, Sakaguchi Y, Morioka T, Miyazaki C, Tominaga M, Kanna E, Takahashi S: Iontophoresis using a local anesthetic for the treatment of pediatric acute herpetic pain. J Anesth 12: 95-99, 1998

79. Morioka T, Nishio S, Ishibashi H, Fukui M, Narasaki O: Relationship between arachnoid cysts and seizure foci. Epilepsia (Letter) 39: 804-806, 1998

80. Tashima T, Morioka T, Nishio S, Hachisuga S, Fukui M, Sasaki M: Delayed cerebral radiation necrosis with a high uptake of <sup>11</sup>C-methionine on PET and <sup>201</sup>Tl-chrolide on SPECT studies. Neuroradiology 40: 435-438, 1998

81. Sadanaga N, Kuwano H, Watanabe M, Mori M, Morioka T, Sugimachi K: Esophageal cancer and second primary brain tumor. Oncol Report 5: 1135-1136, 1998

82. Nishio S, Morioka T, Fukui M: Primitive neuroectodermal tumors. Crit Rev Neurosurg 8: 261-268, 1998

## 1997 年

62. Nishio S, Morioka T, Suzuki S, Takeshita I, Fukui M: Thalamic gliomas: A clinicopathologic analysis of 20 cases with reference to patient age. Acta Neurochir (Wien) 139: 336-342, 1997

63. Nishio S, Morioka T, Takeshita I, Fukui M: Medulloblastoma: survival and late recurrence after the Collins' risk period. Neurosurg Rev 20: 245-249, 1997

64. Morioka T, Takeshita H, Nishio S, Kimura Y, Fukui M: Traumatic aneurysm of the superficial temporal artery in an elderly patient. Neurosurg Rev 20: 278-281, 1997

65. Yoshiura T, Hasuo K, Mihara F, Masuda K, Morioka T, Fukui M: Increased activity of the ipsilateral motor cortex during a hand motor task in patients with brain tumor and paresis. AJNR Am J Neuroradiol 18: 865-869, 1997

66. Shigeto H, Tobimatsu S, Morioka T, Yamamoto T, Kobayashi T, Kato M: Jerk-locked back averaging and dipole source localization of magnetoencephalographic transients in a patient with epilepsia partialis continua. Electroenceph clin Neurophysiol 103: 440-444, 1997

67. Nishio S, Morioka T, Fukui M: Radiation injury of the brain. Crit Rev Neurosurg 7: 408-415, 1997

## 1996 年

54. Morioka T, Yamamoto T, Nishio S, Takeshita I, Imamoto N, Fukui M: Magnetoencephalographic features in neurocysticercosis. *Surg Neurol* 45:176–182, 1996
55. Ieiri I, Morioka T, Kim S, Nishio S, Fukui M, Higuchi S: Pharmacokinetic study of zonisamide in patients undergoing brain surgery. *J Pharm Pharmacol* 48: 1270–1275, 1996
56. Nishio S, Morioka T, Takeshita I, Fukui M: Glial tumourettes (Glial microtumours): Their clinical and histopathological manifestations. *Acta Neurochir (Wien)* 138: 818–823, 1996
57. Nishio S, Morioka T, Suzuki S, Takeshita I, Ikezaki K, Fukui M, Nakano H: Primary brain tumours manifesting during pregnancy: presentation of six cases and a review of the literature. *J Clin Neurosci* 3: 334–337, 1996
58. Sasaki M, Ichiya Y, Kuwabara Y, Yoshida T, Inoue T, Morioka T, Hisada K, Fukui M, Masuda K: Hyperperfusion and hypermetabolism in brain radiation necrosis with epileptic activity. *J Nucl Med* 37: 1174–1176, 1996
59. Morioka T, Fujiwara S, Akimoto T, Nishio S, Fukui M: Intracranial epidural abscess: Late complication of allograft cranioplasty. *Fukuoka Acta Med* 87: 57–59, 1996
60. Suzuki S, Morioka T, Matsushima T, Ikezaki K, Hasuo K, Fukui M: Moyamoya disease associated with persistent primitive trigeminal artery variant in identical twins. *Surg Neurol* 45: 236–240, 1996
61. Haga S, Morioka T, Nishio S, Fukui M: Multicentric pleomorphic xanthoastrocytomas. *Neurosurgery* 38: 1242–1245, 1996
- 1995 年**
43. Morioka T, Yamamoto T, Mizushima A, Tobimatsu S, Shigeto H, Hasuo K, Nishio S, Fujii K, Fukui M: Comparison of magnetoencephalography, functional MRI, and motor evoked potentials in the localization of the sensory-motor cortex. *Neurol Res* 17: 361–367, 1995
44. Morioka T, Mizushima A, Yamamoto T, Tobimatsu S, Matsumoto S, Hasuo K, Fujii K, Fukui M: Functional mapping of the sensorimotor cortex: combined use of magnetoencephalography, functional MRI, and motor evoked potentials. *Neuroradiology* 37: 526–530, 1995
45. Nishio S, Morioka T, Takeshita I, Shono T, Inamura T, Fujiwara S, Fukui M: Chemotherapy for progressive pilocytic astrocytomas in the chiasmo-hypothalamic

regions. Clin Neurol Neurosurg 97: 300-306, 1995

46. Ieiri I, Morioka T, Ichimiya T, Nishio S, Fukui M, Ohtsubo K, Higuchi S: Pharmacokinetic study of valproic acid sustained-release preparation in patients undergoing brain surgery. Therap Drug Monit 17: 6-11, 1995

47. Nishio S, Fujiwara S, Morioka T, Fukui M: Rathke's cleft cysts within a growth hormone producing pituitary adenoma. Br J Neurosurg 9: 51-55, 1995

48. Morioka T, Shono T, Nishio S, Yoshida K, Hasuo K, Fukui M: Acquired Chiari I malformation and syringomyelia associated with bilateral chronic subdural hematoma. J Neurosurg 83: 556-558, 1995

[Morioka T, Nishio S, Fukui M: Spontaneous intracranial hypotension. J Neurosurg (Letter) 84: 151-152, 1996

Morioka T, Nishio S, Fukui M: Acquired Chiari I malformation and syringomyelia associated with bilateral chronic subdural hematoma. J Neurosurg (Letter) 85: 191-193, 1996]

49. Morioka T, Fujii K, Nishio S, Miyagi Y, Nagata S, Hasuo K, Hisashi K, Fukui M: Cholesterol granuloma in the middle cranial fossa: report of two cases. Neuroradiology 37: 564-567, 1995

50. Miyagi Y, Morioka T, Kimura Y, Fukui M: Calcified convexity dura mater and acute epidural haematoma mimicking calcified chronic subdural haematoma. Neuroradiology 37: 551-552, 1995

51. Nishio S, Morioka T, Togawa A, Yanase T, Nawata H, Fukui M, Hasuo K: Spontaneous resolution of hypertrophic cranial pachymeningitis. Neurosurg Rev 18: 201-204, 1995

52. Sayama T, Morioka T, Baba T, Ikezaki K, Fukui M: Cranial fasciitis with massive intracranial extension. Child's Nerv Syst 11: 242-245, 1995

53. Nishio S, Takeshita I, Morioka T, Fukui M: Primary intracranial squamous cell carcinomas: report of two cases. Neurosurgery 37: 329-332, 1995

## 1994 年

36. Morioka T, Yamamoto T, Katsuta T, Fujii K, Fukui M: Presurgical three-dimensional magnetic source imaging of the somatosensory cortex in a patient with a peri-Rolandic lesion; technical note. Neurosurgery 34: 931-934, 1994

37. Nishio S, Morioka T, Fukui M, Goto Y: Surgical treatment of intractable seizures due to hypothalamic hamartoma. Epilepsia 35: 514-519, 1994

38. Nishio S, Takeshita I, Morioka T, Fukui M: Microcystic meningioma: Clinicopathological features of 6 cases. Neurol Res 16: 251-256, 1994
39. Morioka T, Nishio S, Suzuki S, Fukui M, Nishiyama T: Choroidal fissure cyst in the temporal horn associated with complex partial seizure. Clin Neurol Neurosurg 96: 164-167, 1994
40. Morioka T, Tashima T, Nishio S, Nishie E, Fukui M, Okamura T: Malignant lymphoma of the scalp at the site of a previous blunt trauma: Report of two cases. Surg Neurol 42: 117-120, 1994
41. Fujiwara S, Morioka T, Ishibashi H, Takaki T, Fukui M: Acute purulent discitis with epidural abscess of the cervical spine in an adult. Neurol Med Chir (Tokyo) 34: 382-384, 1994
42. Kodama K, Morioka T, Machi T, Takahashi S: Isolated facial nerve palsy of peripheral type caused by an intrinsic brain stem tumor. J Anesth 8: 365-367, 1994

### 1993 年

28. Morioka T, Kalehua A N, Streit WJ: Characterization of microglial reaction after middle cerebral artery occlusion in rat brain. J Comp Neurol 327: 123-132, 1993
29. Morioka T, Katsuta T, Fujii K, Kato M, Fukui M: Discrepancy between SEPs directly recorded from the dorsal column nuclei following upper and lower limb stimulation in patients with syringomyelia. Electroenceph clin Neurophysiol 88: 453-458, 1993
30. Miyagi Y, Mannoji H, Akaboshi K, Morioka T, Fukui M: Intraventricular cavernous malformation associated with medullary venous malformation. Neurosurgery 32: 461-464, 1993
31. Miyagi Y, Morioka T, Otsuka M, Fukui M: Striatal glucose metabolism and [18F] fluorodopa uptake in a patient with tumor-induced hemiparkinsonism. Neurosurgery 32: 838-841, 1993
32. Katsuta T, Morioka T, Fujii K, Fukui M: Physiological localization of the facial colliculus during direct surgery on an intrinsic brain stem lesion. Neurosurgery 32: 861-863, 1993
33. Morioka T, Mastushima T, Ikezaki K, Nagata S, Ohta M, Hasuo K, Fukui M: Intracranial adenoid cystic carcinoma mimicking meningioma: report of two cases.

Neuroradiology 35: 462–465, 1993

34. Katsuta T, Morioka T, Hasuo K, Miyahara S, Fukui M, Masuda K: Discrepancy between provocative test and clinical results following endovascular obliteration of spinal arteriovenous malformation. *Surg Neurol* 40:142–145, 1993
35. Morioka T, Baba T, Nishio S: Cranial fasciitis. *Surg Neurol (Letter)* 39: 333, 1993

## 1992 年

21. Morioka T, Kalehua A, Streit WJ: Progressive expression of immunomolecules on microglial cells in rat dorsal hippocampus following transient forebrain ischemia. *Acta Neuropathol* 83: 149–157, 1992
22. Morioka T, Baba T, Black K, Streit WJ: Immunophenotypic analysis of infiltrating leukocytes and microglia in an experimental rat glioma. *Acta Neuropathol* 83: 590–597, 1992
23. Morioka T, Baba T, Black K, Streit WJ: Response of microglial cells to experimental rat glioma. *Glia* 6: 75–79, 1992
24. Morioka T, Baba T, Black K, Streit WJ: Inflammatory cell infiltrates vary in experimental primary and metastatic brain tumors. *Neurosurgery* 30: 891–896, 1992
25. Streit WJ, Morioka T, Kalehua A: MK-801 prevents microglial reaction in rat hippocampus after forebrain ischemia. *Neuro Report* 3:146–148, 1992
26. Morioka T, Kurita-Tashima S, Fujii K, Nakagaki H, Kato M, Fukui M: Somatosensory and spinal evoked potentials in patients with cervical syringomyelia. *Neurosurgery* 30: 218–222, 1992
27. Morioka T, Matsushima T, Yokoyama N, Muratani H, Fujii K, Fukui M: Isolated bilateral abducens nerve palsies caused by the rupture of a vertebral artery aneurysm. *J Clin Neuro-ophthalmol* 12: 263–267, 1992

## 1991 年

13. Morioka T, Kalehua A, Streit WJ: The microglial reaction in the rat dorsal hippocampus following transient forebrain ischemia. *J Cereb Blood Flow Metab* 11: 966–973, 1991
14. Morioka T, Streit WJ: Expression of immunomolecules on microglial cells following neonatal sciatic nerve axotomy. *J Neuroimmunol* 35: 21–30, 1991

15. Morioka T, Shima F, Kato M, Fukui M: Direct recording of somatosensory evoked potentials in the vicinity of the dorsal column nuclei in man: their generator mechanisms and contribution to the scalp far-field potentials. *Electroenceph clin Neurophysiol* 80: 215-220, 1991
16. Morioka T, Tobimatsu S, Fujii K, Fukui M, Kato M, Matsubara T: Origin and distribution of brain-stem somatosensory evoked potentials in humans. *Electroenceph clin Neurophysiol* 80: 221-227, 1991
17. Morioka T, Tobimatsu S, Fujii K, Nakagaki H, Fukui M, Kato M, Shibata K, Takahashi S: Direct spinal versus peripheral nerve stimulation as monitoring techniques in epidurally recorded spinal cord potentials. *Acta Neurochir (Wien)* 108: 122-127, 1991
18. Morioka T, Fujii K, Tobimatsu S, Fukui M, Sakaguchi Y: Usefulness of epidurally evoked cortical potential monitoring during cervicomedullary glioma surgery. *J Clin Monit* 7: 30-34, 1991
19. Shima F, Morioka T, Tobimatsu S, Kavaklis O, Kato M, Fukui M: Localization of stereotactic targets by microrecording of thalamic somatosensory evoked potentials. *Neurosurgery* 28: 223-230, 1991
20. Kaseda Y, Tobimatsu S, Morioka T, Kato M: Auditory middle-latency responses in patients with localized and non-localized lesions of the central nervous system. *J Neurol* 238: 427-432, 1991

## 1990 年

11. Morioka T, Tashima T, Nagata S, Fukui M, Hasuo K: Cerebral aspergillosis after burr-hole surgery for chronic subdural hematoma. *Neurosurgery* 26: 332-335, 1990
12. Morioka T, Fujii K, Mitani M, Fukui M: Intraoperative localization of a cervicomedullary glioma from the killed end potential: Illustrative case. *Neurosurgery* 26: 1038-1041, 1990

## 1989 年

5. Morioka T, Shima F, Kato M, Fukui M: Origin and distribution of thalamic somatosensory evoked potentials in humans. *Electroenceph clin Neurophysiol* 74: 186-193, 1989
6. Morioka T, Yagi H: Brain function in patients with cerebral fat embolism evaluated using somatosensory and brain-stem auditory evoked potentials. *J Neurol* 236: 415-417, 1989

7. Morioka T, Matsushima T, Fujii K, Fukui M, Hasuo K, Hisashi K: Balloon test occlusion of the internal carotid artery with monitoring of compressed spectral arrays (CSAs) of electroencephalogram. *Acta Neurochir (Wien)* 101: 29-34, 1989
8. Tashima-Kurita S, Matsuhsima T, Kato M, Morioka T, Kuwabara Y, Hasuo K, Fukui M: Moyamoya disease. Posterior cerebral artery occlusion and pattern-reversal visual-evoked potential. *Arch Neurol* 46: 550-553, 1989
9. Morioka T, Nishio S, Fukui M, Iwaki T: Convexity meningioma with galactorrhea and hyperprolactinemia. *Surg Neurol* 31: 69-70, 1989
10. Tanaka S, Nishio S, Morioka T, Fukui M, Kitamura K, Hikita K: Radiation-induced osteosarcoma of the sphenoid bone. *Neurosurgery* 25: 640-643, 1989

### 1988 年

3. Morioka T, Nishio S, Hikita T, Chung L, Soejima T: Marked growth of an angiographically occult arteriovenous malformation. *Neurosurgery* 23: 101-103, 1988
4. Morioka T, Nishio S, Hikita T: Traumatic arteriovenous fistulae of the scalp at the area of previous craniotomy. *Surg Neurol* 30: 406-407, 1988

### 1986 年

1. Morioka T, Nakagaki H, Matsushima T, Hasuo K: Dumbbell-shaped spinal epidural cavernous angioma. *Surg Neurol* 25: 142-144, 1986
2. Nishio S, Fukui M, Iwaki T, Morioka T, Kitamura K: Primary pineal yolk sac tumor: Ultrastructural and immunohistochemical features. *Neurol Med Chir (Tokyo)* 26: 564-570, 1986